

JX4/2


**connectwell**  
 THE RIGHT CONNECTION

### Alternate Shorting Link

Alternate type links are available for cross connection in Spring Clamp Terminal Blocks. The links need to be inserted into the rectangular slots provided in the current bar of the Terminal Block.

#### PRODUCT SPECIFICATION

|               |      |
|---------------|------|
| Rated Current | 32 A |
|---------------|------|

#### ORDERING INFORMATION

| CAT. NO. | DESCRIPTION                    | STD. PACK |
|----------|--------------------------------|-----------|
| JX4/2    | Shorting Link for 6 mm wide TB | 100       |
| JX4/3    | Shorting Link for 6 mm wide TB | 50        |
| JX4/4    | Shorting Link for 6 mm wide TB | 50        |
| JX4/5    | Shorting Link for 6 mm wide TB | 50        |
| JX4/8    | Shorting Link for 6 mm wide TB | 10        |
| JX4/10   | Shorting Link for 6 mm wide TB | 10        |
| JX4/16   | Shorting Link for 6 mm wide TB | 10        |

#### SUITABLE FOR

|                |                                                                                |
|----------------|--------------------------------------------------------------------------------|
| CPDL4(E)D1     | 4 sq.mm Terminal Blocks with diode circuit - D1 configuration                  |
| CPDL4(E)DD2    | 4 sq.mm Terminal Blocks with diode circuit - DD2 configuration                 |
| CPDL4(E)LD1    | 4 sq.mm Double Level Terminal Blocks with LED indication for LD1 Configuration |
| CPDL4(I.S)     | 4 sq.mm Double Level Push in Terminal Blocks                                   |
| CPDLF2.5       | 2.5 sq.mm Push in double level Fuse compact Terminal Blocks                    |
| CPDLG4(I.S)    | 4 sq.mm Double Level Internally Shorted Push in Ground Terminal Blocks         |
| CPG4           | 4 sq.mm push in earthing compact Terminal Blocks                               |
| CPG4/3         | 4 sq.mm Ground/Earth Push In Terminal Blocks                                   |
| CPG4/4         | 4 sq.mm Ground/Earth push in Terminal Blocks                                   |
| CY4/4          | 4 sq.mm Multiple Connection Terminal Blocks with 4 connection points.          |
| CYDL4          | 4 sq.mm Double Level Terminal Blocks.                                          |
| CYDL4(E)D2     | 4 sq.mm Terminal Blocks with diode circuit - D2 configuration                  |
| CYDL4(E)LD124V | 4 sq.mm Terminal Blocks with LED & diode circuit - LD1 configuration           |
| CYDL4(E)LD5    | 4 sq.mm Terminal Blocks with diode circuit - LD5 configuration                 |
| CYDL4(I.S)     | 4 sq.mm Double Level Internally Shorted Terminal Blocks.                       |
| CYDLG4(I.S)    | 4 sq.mm Double Level Earthing Terminal Blocks.                                 |
| CYDLGF4FT      | 4 sq.mm Double Level + ground Terminal Block in Grey colour.                   |
| CYDLGF4LR      | 4 sq.mm Double Level Fuse + ground Terminal Blocks.                            |
| CYDLK4         | 4 sq.mm Double level with Knife Type disconnecting contact at top level.       |
| CYG4/4         | 4 sq.mm 4 wire Ground / Earth Terminal Blocks                                  |
| CYTFLF2.5L     | 2.5 sq.mm Three Level Fuse Terminal Blocks with LED indication.                |

JX4/2


**connectwell**  
 THE RIGHT CONNECTION

| SUITABLE FOR        |                                                                                                         |
|---------------------|---------------------------------------------------------------------------------------------------------|
| CSER1-120U48D100XD  | Slim SSR Module 120 VUC IN 48 VDC OUT 100 mAmp                                                          |
| CSER1-120U48D4YC    | Slim SSR Module 120VUC IN 48 VDC OUT 4 Amp                                                              |
| CSER1-120U48D4YD    | Slim SSR Module 120VUC IN 48 VDC OUT 4 Amp                                                              |
| CSER1-230A48D4XC    | Slim SSR Module 230VAC IN 48 VDC OUT 4 Amp                                                              |
| CSER1-24D240A2YD    | Slim SSR Module 24VDC IN 240 VAC OUT 2 Amp                                                              |
| CSER1-4860U240A2XD  | Slim SSR Module 48-60VUC IN 240 VAC OUT 2 Amp                                                           |
| CSER1-4860U48D100XD | Slim SSR Module 48-60 VUC IN 48 VDC OUT 100 mAmp                                                        |
| CSER1-4860U48D100YD | Slim SSR Module 48-60 VUC IN 48 VDC OUT 100 mAmp                                                        |
| CSR1S-120UXA-SN     | Slim Relay Module 1CO 120VUC With Inbuilt Snubber Protection to protect from Short term voltage spikes. |
| CSR1S-120UXB        | Slim Relay Module 1CO 120VUC                                                                            |
| CSR1S-120UYB        | Slim Relay Module 1CO 120VUC                                                                            |
| CSR1S-12UYA         | Slim Relay Module 1CO 12VUC                                                                             |
| CSR1S-230AXB        | Slim Relay Module 1CO 230VAC                                                                            |
| CSR1S-230UXA        | Slim Relay Module 1CO 230VUC                                                                            |
| CSR1S-24UXA         | Slim Relay Module 1CO 24VUC                                                                             |
| CSR1S-24UYA         | Slim Relay Module 1CO 24VUC                                                                             |
| CSR1S-48-60UXA      | Slim Relay Module 1CO 48-60VUC                                                                          |
| CX4/3V0             | 4 sq.mm Spring Clamp Feed Through compact Terminal Blocks                                               |
| CXF4/3              | 4 sq.mm Spring Clamp Fuse 3 wire compact Terminal Blocks                                                |
| CXF4L               | 4 sq.mm Spring Clamp Fuse compact Terminal Blocks                                                       |
| CP4/4               | 4 sq.mm Push In Feed Through compact Terminal Blocks                                                    |
| CPDL4(E)D3          | 4 sq.mm Terminal Blocks with diode circuit - D3 configuration                                           |
| CPDL4(E)DD5         | 4 sq.mm Terminal Blocks with diode circuit - DD5 configuration                                          |
| CPF4L               | 4 sq.mm push in Fuse compact Terminal Blocks                                                            |
| CPK4                | CPK4 : 4 sq.mm Push in Knife Disconnecting Compact Terminal Blocks                                      |
| CY4                 | 4 sq.mm Feed Through Terminal Blocks                                                                    |
| CY4                 | 4 sq.mm Feed Through Terminal Blocks                                                                    |
| CYDL4(E)DD1         | 4 sq.mm Terminal Blocks with diode circuit - DD1 configuration                                          |
| CYDL4(E)DD4         | 4 sq.mm Terminal Blocks with diode circuit - DD4 configuration                                          |
| CYDLF4              | 4 sq.mm Double Level Screw Clamp Fuse Terminal Blocks.                                                  |
| CYDLGK4             | 4mm <sup>2</sup> 2 Level knife disconnecting+ground screw clamp TB                                      |
| CYDLGK4             | 4mm <sup>2</sup> 2 Level knife disconnecting+ground screw clamp TB                                      |
| CYDLK4              | 4 sq.mm Double level with Knife Type disconnecting contact at top level.                                |

JX4/2


**connectwell**  
 THE RIGHT CONNECTION

**SUITABLE FOR**

|                    |                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------|
| CYF4L              | 4 sq.mm Single Level Fuse Terminal Blocks with LED indication.                                          |
| CYF4L V0           | 4 sq.mm Single Level Fuse Terminal Blocks with LED indication.                                          |
| CYF4L10-36V        | 4 sq.mm Single Level Fuse Terminal Blocks with LED indication.                                          |
| CYG4               | 4 sq.mm Ground / Earth Terminal Blocks                                                                  |
| CYK4               | 4 sq.mm Knife Type Disconnect & Test Terminal Blocks with Socket screws                                 |
| CYTIF2.5           | 2.5 sq.mm Three Level Fuse Terminal Blocks.                                                             |
| CSER1-230A240A2XD  | Slim SSR Module 230VAC IN 240 VAC OUT 2 Amp                                                             |
| CSER1-230A240A2YD  | Slim SSR Module 230VAC IN 240 VAC OUT 2 Amp                                                             |
| CSER1-230A48D100YD | Slim SSR Module 230 VAC IN 48 VDC OUT 100 mAmp                                                          |
| CSER1-230A48D4YD   | Slim SSR Module 230VAC IN 48 VDC OUT 4 Amp                                                              |
| CSER1-24D380A2YC   | Slim SSR Module 24VDC IN 380 VAC OUT 2 Amp                                                              |
| CSER1-24D48D100YD  | Slim SSR Module 24VDC IN 48 VDC OUT 100 mAmp                                                            |
| CSER1-24U48D100XD  | Slim SSR Module 24VUC IN 48 VDC OUT 100 mAmp                                                            |
| CSER1-4860U240A2YD | Slim SSR Module 48-60VUC IN 240 VAC OUT 2 Amp                                                           |
| CSR1S-120UYA-SN    | Slim Relay Module 1CO 120VUC With Inbuilt Snubber Protection to protect from Short term voltage spikes. |
| CSR1S-230UYA       | Slim Relay Module 1CO 230VUC                                                                            |
| CSR1S-230UYB-SN    | SLIM RELY MOD EMR 1CO 230VUC-SN SC CL with snubber protection                                           |
| CSR1S-24DXB        | Slim Relay Module 1CO 24VDC                                                                             |
| CSR1S-24DYA        | Slim Relay Module 1CO 24VDC                                                                             |
| CSR1S-24UXB        | Slim Relay Module 1CO 24VUC                                                                             |
| CSR1S-24UYB        | Slim Relay Module 1CO 24VUC                                                                             |
| CSR1S-48-60UXB     | Slim Relay Module 1CO 48-60VUC                                                                          |
| CSR1S-48-60UYA     | Slim Relay Module 1CO 48-60VUC                                                                          |
| CX4/4              | 4 sq.mm Spring Clamp Feed Through compact Terminal Blocks                                               |
| CXAF4/3            | 4 sq.mm 3 wire Automotive Fuse Compact Spring Clamp Terminal Blocks                                     |
| CXAF4/3L           | 4 sq.mm 3 wire Automotive Fuse with Led Compact Spring Clamp Terminal Blocks                            |
| CXF4               | 4 sq.mm Spring Clamp Fuse compact Terminal Blocks                                                       |
| CXG4               | 4 sq.mm Spring Clamp earthing compact Terminal Blocks                                                   |
| CXG4/4             | 4 sq.mm Ground/Earth Spring Clamp Terminal Blocks                                                       |
| CXS4               | 4 sq.mm Spring Clamp Feed Through Side Entry Terminal Blocks                                            |
| CXVF2.5            | 10 sq.mm I/P 2 X 2.5 sqmm O/P Spring Clamp vertical Fuse Terminal Blocks                                |
| CXVF2.5            | 6 sq.mm I/P 2 X 2.5 sqmm O/P Spring Clamp vertical Fuse Terminal Blocks                                 |
| CP4/4(E)D1         | 4 sq.mm Push In Feed Through compact diode Terminal Blocks                                              |

JX4/2


**connectwell**  
 THE RIGHT CONNECTION

**SUITABLE FOR**

|                    |                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------|
| CP4/4(E)D2         | 4 sq.mm Push In Feed Through compact diode Terminal Blocks                                              |
| CPDL4              | 4 sq.mm Double Level Push in Terminal Blocks                                                            |
| CPDL4(E)D2         | 4 sq.mm Terminal Blocks with diode circuit - D2 configuration                                           |
| CPDL4(E)DD3        | 4 sq.mm Terminal Blocks with diode circuit - DD3 configuration                                          |
| CPDL4(E)DD6        | 4 sq.mm Terminal Blocks with diode circuit - DD6 configuration                                          |
| CY4EX              | 4 sq.mm Feed Through Terminal Blocks                                                                    |
| CYDL4(E)D3         | 4 sq.mm Terminal Blocks with diode circuit - D3 configuration                                           |
| CYDL4(E)DD2        | 4 sq.mm Terminal Blocks with diode circuit - DD2 configuration                                          |
| CYDL4(E)DD5        | 4 sq.mm Terminal Blocks with diode circuit - DD5 configuration                                          |
| CYDL4(E)L124V      | 4 sq.mm Terminal Blocks with LED Indication - L1 configuration                                          |
| CYDL4(E)LD224V     | 4 sq.mm Terminal Blocks with LED & diode circuit - LD2 configuration                                    |
| CYDL4(E)LD3        | 4 sq.mm Terminal Blocks with LED Indication - LD3 configuration                                         |
| CYDLF4L            | 4 sq.mm Double Level Fuse Screw Terminal Blocks with LED indication.                                    |
| CYDLG4             | 4 sq.mm Double Level Earthing Terminal Blocks.                                                          |
| CYDLGF4L           | 4 sq.mm Double Level Fuse + ground Terminal Blocks with LED indication.                                 |
| CYF4V0             | 4 sq.mm Single Level Fuse Terminal Blocks with push in Jumper possibility                               |
| CYK4               | 4 sq.mm Knife Type Disconnect & Test Terminal Blocks with Socket screws                                 |
| CYTLGF2.5L         | 2.5 sq.mm Three Level Fuse Terminal Blocks with Ground connection and LED indication.                   |
| CSER1-120U240A2YD  | Slim SSR Module 120VUC IN 240 VAC OUT 2 Amp                                                             |
| CSER1-120U48D4XD   | Slim SSR Module 120VUC IN 48 VDC OUT 4 Amp                                                              |
| CSER1-230A380A2YC  | Slim SSR Module 230VAC IN 380 VAC OUT 2 Amp                                                             |
| CSER1-230A48D100XD | Slim SSR Module 230 VAC IN 48 VDC OUT 100 mAmp                                                          |
| CSER1-24U48D100YD  | Slim SSR Module 24VDC IN 48 VDC OUT 100 mAmp                                                            |
| CSER1-24U48D4XD    | Slim SSR Module 24VUC IN 48 VDC OUT 4 Amp                                                               |
| CSER1-4860U48D4XD  | Slim SSR Module 48-60VUC IN 48 VDC OUT 4 Amp                                                            |
| CSER1-4860U48D4YD  | Slim SSR Module 48-60VUC IN 48 VDC OUT 4 Amp                                                            |
| CSR1S-120UYB-SN    | Slim Relay Module 1CO 120VUC With Inbuilt Snubber Protection to protect from Short term voltage spikes. |
| CSR1S-230AYA       | Slim Relay Module 1CO 230VAC                                                                            |
| CSR1S-230AYB       | SLIM RELY MOD CW EMR 1CO 230VAC SW CL                                                                   |
| CSR1S-230UXB       | Slim Relay Module 1CO 230VUC                                                                            |
| CSR1S-48-60UYB     | Slim Relay Module 1CO 48-60VUC                                                                          |

JX4/2



**connectwell**  
THE RIGHT CONNECTION

| SUITABLE FOR      |                                                                                             |
|-------------------|---------------------------------------------------------------------------------------------|
| CX4/4V0           | 4 sq.mm Spring Clamp Feed Through compact Terminal Blocks                                   |
| CXCC4             | 4 sq.mm Component carrier spring clamp terminal block                                       |
| CXCC4/3           | 4 sq.mm Component carrier spring clamp terminal block                                       |
| CXF4/3            | 4 sq.mm Spring Clamp Fuse 3 wire compact Terminal Blocks                                    |
| CXG4/3            | 4 sq.mm Ground/Earth Spring Clamp Terminal Blocks                                           |
| CXVFL             | 6 sq.mm Spring Clamp with led Vertical Fuse Terminal Blocks                                 |
| CP4               | 4 sq.mm Push In Feed Through compact Terminal Blocks                                        |
| CP4/3             | 4 sq.mm Push In Feed Through compact Terminal Blocks                                        |
| CPDL4(E)DD1       | 4 sq.mm Terminal Blocks with diode circuit - DD1 configuration                              |
| CPDL4(E)DD4       | 4 sq.mm Terminal Blocks with diode circuit - DD4 configuration                              |
| CPDL4(E)TS1       | 4 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration |
| CPDLF2.5L         | 2.5 sq.mm Push in double level Fuse compact LED Terminal Blocks                             |
| CPDLFK2.5         | 2.5 sq.mm Push in double level Fuse & disconnect Terminal Blocks                            |
| CPDLG4            | 4 sq.mm Double Level Push in Terminal Blocks with Ground Connection                         |
| CPF4              | 4 sq.mm Push in Fuse compact Terminal Blocks                                                |
| CY4/4             | 4 sq.mm Multiple Connection Terminal Blocks with 4 connection points.                       |
| CYDL4(E)D1        | 4 sq.mm Terminal Blocks with diode circuit - D1 configuration                               |
| CYDL4(E)DD3       | 4 sq.mm Terminal Blocks with diode circuit - DD3 configuration                              |
| CYDL4(E)L224V     | 4 sq.mm Terminal Blocks with LED indication - L2 configuration                              |
| CYDL4(E)LD4       | 4 sq.mm Terminal Blocks with diode circuit - LD4 configuration                              |
| CYDLF4FT          | 4 sq.mm Double Level Terminal Block in Grey colour.                                         |
| CYDLF4LR          | 4 sq.mm Double Level Fuse Terminal Blocks.                                                  |
| CYDLGF4           | 4 sq.mm Double Level Fuse + ground Terminal Blocks.                                         |
| CYF4              | 4 sq.mm Screw Clamp Fuse Terminal Blocks with push in Jumper possibility                    |
| CYK4              | 4 sq.mm Knife Type Disconnect & Test Terminal Blocks with Socket screws                     |
| CYTLGF2.5         | 2.5 sq.mm Three Level Fuse and ground Terminal Blocks.                                      |
| CSER1-120U240A2XD | Slim SSR Module 120VUC IN 240 VAC OUT 2 Amp                                                 |
| CSER1-230A48D4XD  | Slim SSR Module 230VAC IN 48 VDC OUT 4 Amp                                                  |
| CSER1-24D240A2XD  | Slim SSR Module 24VDC IN 240 VAC OUT 2 Amp                                                  |
| CSER1-24D48D4XD   | Slim SSR Module 24VDC IN 48 VDC OUT 4 Amp                                                   |

JX4/2



**connectwell**  
THE RIGHT CONNECTION

| SUITABLE FOR     |                                                                  |
|------------------|------------------------------------------------------------------|
| CSER1-24D48D4YC  | Slim SSR Module 24VDC IN 48 VDC OUT 4 Amp                        |
| CSER1-24D48D4YD  | Slim SSR Module 24VDC IN 48 VDC OUT 4 Amp                        |
| CSER1-24U240A2XD | Slim SSR Module 24VUC IN 240 VAC OUT 2 Amp                       |
| CSER1-24U240A2YD | Slim SSR Module 24VUC IN 240 VAC OUT 2 Amp                       |
| CSER1-24U48D4YD  | Slim SSR Module 24VUC IN 48 VDC OUT 4 Amp                        |
| CSR1S-120UXA     | Slim Relay Module 1CO 120VUC                                     |
| CSR1S-120UYA     | Slim Relay Module 1CO 120VUC                                     |
| CSR1S-230UXB-SN  | Slim Relay Module 1CO 230VUC                                     |
| CSR1S-230UYA-SN  | SLIM RELY MOD EMR 1CO 230VUC-SN SC CL with snubber protection    |
| CSR1S-230UYB     | SLIM RELY MOD CW EMR 1CO 230VAC/DC SW C                          |
| CSR1S-24DXA      | Slim Relay Module 1CO 24VDC                                      |
| CSR1S-24DYB      | CW Slim Relay Module 1CO 24VDC                                   |
| CSR1S-24DYB      | CW Slim Relay Module 1CO 24VDC                                   |
| CSR1S-24DYBV0    | CW Slim Relay Module 1CO 24VDC                                   |
| CSR1S-5DXA       | Slim Relay Module 1CO 5VDC                                       |
| CSR1S-5DYA       | Slim Relay Module 1CO 5VDC                                       |
| CX4              | 4 sq.mm Spring Clamp Feed Through compact Terminal Blocks        |
| CX4/3            | 4 sq.mm Spring Clamp Feed Through compact Terminal Blocks        |
| CXK4             | 4 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks |
| CXK4/3           | 4 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks |
| CXSG4            | 4 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks   |